

HIT-RE 100

Safety information for 2-Component-products

Issue date: 11/05/2020 Revision date: 11/05/2020 Version: 1.0

SECTION 1: Kit identification

1.1 Product identifier

HIT-RE 100 Product name



Product code **BU** Anchor

1.2 Details of the supplier of the Safety information for 2-Component-products

Hilti Bahrain W.L.L Warehouse No. 23 & 25, Gate 285, Road 4306 Area 343, Mina Salman P.O. Box 11401 Manama T +973 17811675 hiltibahrain@hilti.com - https://www.hilti-me.com/

SECTION 2: General information

Storage Storage temperature: 5 - 25 °C

A SDS for each of these components is included. Please do not separate any component SDS from this cover page

This Kit should be handled in accordance with good laboratory practices and appropriate personal protective equipment should be used

SECTION 3:

Classification of the Product

Classification according to the United Nations GHS (Rev. 4, 2011)

Acute Tox. 4 (Oral)	H302
Skin Corr. 1B	H314
Eye Dam. 1	H318
Skin Sens. 1	H317
Muta. 2	H341
Repr. 1B	H360
Aquatic Acute 2	H401
Aquatic Chronic 2	H411

Label elements

Signal word (GHS UN)

Hazardous ingredients

Hazard statements (GHS UN)

Labelling according to the United Nations GHS (Rev. 4, 2011)

Hazard pictograms (GHS UN)







GHS09

GHS05

Danger

Epoxy resin, Amines

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H341 - Suspected of causing genetic defects.

25/06/2020 EN (English) 1/23



HIT-RE 100

Safety information for 2-Component-products

H360F - May damage fertility.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (GHS UN) P280 - Wear eye protection, protective clothing, protective gloves.

P262 - Do not get in eyes, on skin, or on clothing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.


P302+P352 - IF ON SKIN: Wash with plenty of water.

Additional information

2-component-foilpack, contains:

Component A. Epoxy resin, Reactive diluent, inorganic filler

Component B: Amine hardener, inorganic filler



Name	General description	Quantity	Unit	Classification according to the United Nations GHS
HIT-RE 100, A		1	pcs	Skin Corr. 1C, H314 Skin Sens. 1, H317 Muta. 2, H341 Repr. 1B, H360 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
HIT-RE 100, B		1	pcs	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 3, H402 Aquatic Chronic 3, H412

SECTION 4: General advice

General advice For professional users only

SECTION 5: Safe handling advice

General measures Spilled material may present a slipping hazard

Environmental precautions Prevent entry to sewers and public waters

Notify authorities if liquid enters sewers or public waters

Avoid release to the environment

Full or only partially emptied cartridges must be disposed of as special waste in accordance

with official regulations.

After curing, the product can be disposed of with household waste.

Storage conditions Protect from sunlight. Store in a well-ventilated place.

Technical measures

Precautions for safe handling

Wear personal protective equipment
Avoid contact with skin and eyes

Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work

Avoid contact during pregnancy/while nursing

Methods for cleaning up

This material and its container must be disposed of in a safe way, and as per local legislation

Mechanically recover the product

On land, sweep or shovel into suitable containers

Store away from other materials.

For containment Collect spillage.

Incompatible materials Sources of ignition Direct sunlight

Incompatible products Strong bases

25/06/2020 EN (English) 2/23



HIT-RE 100

Safety information for 2-Component-products

Strong acids

SECTION 6: First aid measures

First-aid measures after eye contact Get immediate medical advice/attention.

Immediately rinse with water for a prolonged period while holding the eyelids wide open

Remove contact lenses, if present and easy to do. Continue rinsing.

Consult an eye specialist

First-aid measures after ingestion Do not induce vomiting

Rinse mouth

Immediately call a POISON CENTER/doctor.

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact Wash with plenty of water/...

Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get immediate medical advice/attention.

First-aid measures general Never give anything by mouth to an unconscious person

If you feel unwell, seek medical advice (show the label where possible)

Symptoms/effects Causes severe skin burns and eye damage.

Symptoms/effects after eye contact Causes serious eye damage.

Symptoms/effects after inhalation May cause an allergic skin reaction.

SECTION 7: Fire fighting measures

Exercise caution when fighting any chemical fire

Prevent fire fighting water from entering the environment

Protection during firefighting Self-contained breathing apparatus

Do not enter fire area without proper protective equipment, including respiratory protection

Hazardous decomposition products in case of

fire

Thermal decomposition generates :

Carbon dioxide Carbon monoxide

SECTION 8: Other information

No data available

25/06/2020 EN (English) 3/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

lssue date: 11/05/2020 : Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

 Product form
 Mixture

 Product name
 HIT-RE 100, B

 UN-No. (ADR)
 3259

 Product code
 BU Anchor

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture For professional use only

Composite mortar component for fasteners in the construction industry

1.3. Details of the supplier of the safety data sheet

Supplier

Hilti Bahrain W.L.L Warehouse No. 23 & 25, Gate 285, Road 4306

Area 343, Mina Salman

P.O. Box 11401 Manama

T +973 17811675

hiltibahrain@hilti.com - https://www.hilti-me.com/

Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH

Hiltistraße 6

86916 Kaufering - Deutschland

T +49 8191 906876 anchor.hse@hilti.com

1.4. Emergency telephone number

Emergency number Schweizerisches Toxikologisches Informationszentrum – 24h Service

+41 44 251 51 51 (international)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS (Rev. 4, 2011)

 Acute Tox. 4 (Oral)
 H302

 Skin Corr. 1B
 H314

 Skin Sens. 1
 H317

 Aquatic Acute 3
 H402

 Aquatic Chronic 3
 H412

Full text of H statements : see section 16

2.2. Label elements

Labelling according to the United Nations GHS (Rev. 4, 2011)

Hazard pictograms (GHS UN)





GHS05

Signal word (GHS UN) Danger

Hazardous ingredients Formaldehyde, telomer with 1,3-benzenedimethanamine, 1,3-benzenediol and ethenylbenzene;

resorcinol; m-Xylylenediamine

Hazard statements (GHS UN) H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (GHS UN) P262 - Do not get in eyes, on skin, or on clothing.

P280 - Wear eye protection, protective clothing, protective gloves.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

25/06/2020 EN (English) 4/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

P333+P313 - If skin irritation or rash occurs: Get medical advice, medical attention.

P337+P313 - If eye irritation persists: Get medical advice, medical attention.

P302+P352 - IF ON SKIN: Wash with plenty of water.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
m-Xylylenediamine	(CAS-No.) 1477-55-0	25 - 40	Acute toxicity (oral), Category 4, H302 Acute toxicity (inhalation:dust,mist) Category 4, H332 Skin corrosion/irritation, Category 1B, H314 Serious eye damage/eye irritation, Category 1, H318 Skin sensitisation, category 1B, H317 Hazardous to the aquatic environment — Acute Hazard, Category 3, H402 Hazardous to the aquatic environment — Chronic Hazard, Category 3, H412
Formaldehyde, telomer with 1,3-benzenedimethanamine, 1,3-benzenediol and ethenylbenzene	(CAS-No.) 710292-85-6	10 - 25	Skin sensitisation, category 1B, H317 Hazardous to the aquatic environment — Acute Hazard, Category 2, H401 Hazardous to the aquatic environment — Chronic Hazard, Category 2, H411
resorcinol	(CAS-No.) 108-46-3	0,1 - 1	Acute toxicity (oral), Category 4, H302 Skin corrosion/irritation, Category 2, H315 Serious eye damage/eye irritation, Category 1, H318 Skin sensitisation, category 1B, H317 Specific target organ toxicity — Single exposure, Category 1, H370 Specific target organ toxicity — Single exposure, Category 2, H371 Hazardous to the aquatic environment — Acute Hazard, Category 1, H400 Hazardous to the aquatic environment — Chronic Hazard, Category 3, H412

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact

Wash with plenty of water/.... Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get immediate medical advice/attention.

25/06/2020 EN (English) 5/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

First-aid measures after eye contact Get immediate medical advice/attention. Immediately rinse with water for a prolonged period

while holding the eyelids wide open. Remove contact lenses, if present and easy to do.

Continue rinsing. Consult an eye specialist.

First-aid measures after ingestion Do not induce vomiting. Rinse mouth. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects Causes severe skin burns and eye damage.

Symptoms/effects after inhalation May cause an allergic skin reaction.

Symptoms/effects after eye contact Causes serious eye damage.

Potential adverse human health effects and No additional information available.

symptoms

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Self-contained breathing apparatus. Do not enter fire area without proper protective equipment,

including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Spilled material may present a slipping hazard.

6.1.1.For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Use personal protective equipment as required. Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment. Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. After curing, the product can be disposed of with household waste.

6.3. Methods and material for containment and cleaning up

For containment Collect spillage.

Methods for cleaning up

This material and its container must be disposed of in a safe way, and as per local legislation.

Mechanically recover the product. On land, sweep or shovel into suitable containers. Store

away from other materials.

Other information Dispose of materials or solid residues at an authorized site.

25/06/2020 EN (English) 6/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other

exposed areas with mild soap and water before eating, drinking or smoking and when leaving

work. Avoid contact during pregnancy/while nursing.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures Comply with applicable regulations.

Storage conditions Protect from sunlight. Store in a well-ventilated place.

Incompatible products Strong bases. Strong acids.

Incompatible materials Sources of ignition. Direct sunlight.

Storage temperature 5 - 25 °C

Heat and ignition sources Keep away from heat and direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional information The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant

for this product.

8.2. Appropriate engineering controls

Environmental exposure controls Avoid release to the environment.

Consumer exposure controls Avoid contact during pregnancy/while nursing.

Other information Do not eat, drink or smoke during use.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection Wear protective gloves. The permeation time

is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective

function's effective duration.

Туре	Material	Permeation	Thickness (mm)	Penetrati on	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,4		EN 374

Eye protection Wear security glasses which protect from

splashes

Туре	Use	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

25/06/2020 EN (English) 7/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Skin and body protection

Wear suitable protective clothing







8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid

Appearance Thixotropic paste.

Colour Red-brown to black.

Odour Amine-like.

Odour threshold No data available

pH 11.5

Relative evaporation rate (butylacetate=1) No data available Melting point No data available No data available Freezing point Boiling point No data available Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) Non flammable. No data available Vapour pressure Relative vapour density at 20 °C No data available Relative density No data available

Density 1.41 g/cm³ DIN EN ISO 1183-3

Solubility insoluble in water.

Log Pow No data available

Viscosity, kinematic No data available

Viscosity, dynamic 43 - 57 Pa·s HN-0333

Explosive properties No data available

Oxidising properties No data available

Explosive limits No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

25/06/2020 EN (English) 8/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates: fume. Carbon monoxide. Carbon dioxide. Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Harmful if swallowed. Acute toxicity (oral) Acute toxicity (dermal) Not classified Acute toxicity (inhalation) Not classified

ATE CLP (oral)	1706.776 mg/kg bodyweight		
Formaldehyde, telomer with 1,3-benzenedimethanamine, 1,3-benzenediol and ethenylbenzene (710292-85-6)			
LD50 oral rat	> 2000 mg/kg		
LD50 dermal rat	> 2000 mg/kg		
resorcinol (108-46-3)			
LD50 oral	301 mg/kg		
m-Xylylenediamine (1477-55-0)			
LD50 oral rat	1090 mg/kg		
LD50 oral	660 mg/kg		
LD50 dermal rat	> 3100 mg/kg		
LD50 dermal	> 3100 mg/kg		
LC50 inhalation rat (Dust/Mist - mg/l/4h)	1.34 ma/l/4h		

Skin corrosion/irritation Causes severe skin burns and eye damage.

pH: 11.5

Serious eye damage/irritation Serious eye damage, category 1, implicit

pH: 11.5

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Not classified Carcinogenicity Not classified Not classified Reproductive toxicity STOT-single exposure Not classified STOT-repeated exposure Not classified Aspiration hazard Not classified

Potential adverse human health effects and

symptoms

No additional information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water Harmful to aquatic life with long lasting effects.

25/06/2020 EN (English) 9/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Hazardous to the aquatic environment, short-

term (acute)

Expert judgment

Harmful to aquatic life.

Classification procedure (Hazardous to the aquatic environment, short-term (acute))

Hazardous to the aquatic environment, long-

term (chronic)

Harmful to aquatic life with long lasting effects.

Classification procedure (Hazardous to the aquatic environment, long-term (chronic))

Expert judgment

Formaldehyde, telomer with 1,3-benze	nedimethanamine, 1,3-benzenediol and ethenylbenzene (710292-85-6)
LC50 fish 1	>= 50 mg/l
LC50 other aquatic organisms 1	>= 31.8 mg/l
EC50 Daphnia 1	2.4 mg/l
NOEC chronic algae	6.25 mg/l
resorcinol (108-46-3)	
EC50 Daphnia 1	1.28 mg/l
m-Xylylenediamine (1477-55-0)	
LC50 fish 1	75 mg/l
LC50 other aquatic organisms 1	20.3 ppb
EC50 Daphnia 1	15 mg/l
LOEC (chronic)	15 mg/l
NOEC (acute)	10.5 mg/kg
NOEC (chronic)	4.7 mg/l
NOEC chronic crustacea	4.7 mg/l

12.2. Persistence and degradability

	HIT-RE 100, B	
Ī	Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

HIT-RE 100, B		
Bioaccumulative potential	Not established.	
Formaldehyde, telomer with 1,3-benzenedimethanamine, 1,3-benzenediol and ethenylbenzene (710292-85-6)		
Bioconcentration factor (BCF REACH)	>= 12.9	
Log Pow	5.14	

12.4. Mobility in soil

Formaldehyde, telomer with 1,3-benzenedin	nethanamine, 1,3-benzenediol and ethenylbenzene (710292-85-6)
Log Pow See section 12.1 on ecotoxicology	

12.5. Other adverse effects

Ozone Not classified

Other adverse effects

No additional information available

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) Disposal must be done according to official regulations.

Product/Packaging disposal recommendations

After curing, the product can be disposed of with household waste. . Full or only partially

emptied cartridges must be disposed of as special waste in accordance with official regulations.

Packaging contaminated by the product : Dispose in a safe manner in accordance with

local/national regulations.

Ecology - waste materials Avoid release to the environment.

25/06/2020 EN (English) 10/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	RID	
14.1. UN number				
3259	3259	3259	3259	
14.2. UN proper shipping r	name			
AMINES, SOLID, CORROSIVE, N.O.S. (m-Xylylenediamine)	AMINES, SOLID, CORROSIVE, N.O.S. (m-Xylylenediamine)	Amines, solid, corrosive, n.o.s. (m- Xylylenediamine)	AMINES, SOLID, CORROSIVE, N.O.S. (m-Xylylenediamine)	
Transport document descript	ion			
UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (m- Xylylenediamine), 8, II, (E)	UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (m- Xylylenediamine), 8, II	UN 3259 Amines, solid, corrosive, n.o.s. (m-Xylylenediamine), 8, II	UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (m- Xylylenediamine), 8, II	
14.3. Transport hazard clas	ss(es)			
8	8	8	8	
	8	8	8	
14.4. Packing group	14.4. Packing group			
II	II	II	II	
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Classification code (ADR)

Special provisions (ADR)

Limited quantities (ADR)

Packing instructions (ADR)

Mixed packing provisions (ADR)

MP10

Transport category (ADR) 2
Orange plates

80 3259

Ε

Tunnel restriction code (ADR)

- Transport by sea

Special provisions (IMDG) 274
Limited quantities (IMDG) 1 kg
Packing instructions (IMDG) P002
EmS-No. (Fire) F-A
EmS-No. (Spillage) S-B
Stowage category (IMDG) A

25/06/2020 EN (English) 11/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Stowage and segregation (IMDG) Separated from acids.

MFAG-No 154

- Air transport

PCA packing instructions (IATA) 859
PCA max net quantity (IATA) 15kg
CAO packing instructions (IATA) 863
Special provisions (IATA) A3

- Rail transport

Special provisions (RID) 274 Limited quantities (RID) 1kg

Packing instructions (RID) P002, IBC08

Carriage prohibited (RID) No

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No additional information available

SECTION 16: Other information

SDS Major/Minor None
Issue date 11/05/2020
Revision date 11/05/2020

25/06/2020 EN (English) 12/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Abbreviations and acronyms

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE - Acute Toxicity Estimate

BCF - Bioconcentration factor

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

DMEL - Derived Minimal Effect level

DNEL - Derived-No Effect Level

EC50 - Median effective concentration

IARC - International Agency for Research on Cancer

IATA - International Air Transport Association

IMDG - International Maritime Dangerous Goods

LC50 - Median lethal concentration

LD50 - Median lethal dose

LOAEL - Lowest Observed Adverse Effect Level

NOAEC - No-Observed Adverse Effect Concentration

NOAEL - No-Observed Adverse Effect Level

NOEC - No-Observed Effect Concentration

OECD - Organisation for Economic Co-operation and Development

PBT - Persistent Bioaccumulative Toxic

PNEC - Predicted No-Effect Concentration

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

RID - Regulations concerning the International Carriage of Dangerous Goods by Rail

SDS - Safety Data Sheet

vPvB - Very Persistent and Very Bioaccumulative

None.

Other information

Full text of H-statements:

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H370	Causes damage to organs.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS_UN_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

25/06/2020 EN (English) 13/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

lssue date: 11/05/2020 : Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Mixture
Product name HIT-RE 100, A
UN-No. (ADR) 1759
Product code BU Anchor

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture For professional use only

Composite mortar component for fasteners in the construction industry

1.3. Details of the supplier of the safety data sheet

Supplier

Hilti Bahrain W.L.L Warehouse No. 23 & 25, Gate 285, Road 4306

Area 343, Mina Salman P.O. Box 11401

Manama T +973 17811675

hiltibahrain@hilti.com - https://www.hilti-me.com/

Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH

Hiltistraße 6

86916 Kaufering - Deutschland

T +49 8191 906876 anchor.hse@hilti.com

1.4. Emergency telephone number

Emergency number Schweizerisches Toxikologisches Informationszentrum – 24h Service

+41 44 251 51 51 (international)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS (Rev. 4, 2011)

 Skin Corr. 1C
 H314

 Skin Sens. 1
 H317

 Muta. 2
 H341

 Repr. 1B
 H360

 Aquatic Acute 2
 H401

 Aquatic Chronic 2
 H411

Full text of H statements : see section 16

2.2. Label elements

Labelling according to the United Nations GHS (Rev. 4, 2011)

Hazard pictograms (GHS UN)









GHS05 GHS07

GHS08

GHS09

Signal word (GHS UN) Danger

Hazardous ingredients

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol;

Reaction products of hexane-1,6-diol with 2-(chloromethyl); 2,2'-[(1-methylethylidene)bis(4,1-

phenyleneoxymethylene)]bisoxirane; trimethylolpropane triglycidylether

Hazard statements (GHS UN) H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction. H341 - Suspected of causing genetic defects.

H360 - May damage fertility..

H411 - Toxic to aquatic life with long lasting effects.

25/06/2020 EN (English) 14/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Precautionary statements (GHS UN)

P262 - Do not get in eyes, on skin, or on clothing.
P280 - Wear eye protection, protective clothing, protective gloves.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P333+P313 - If skin irritation or rash occurs: Get medical advice, medical attention.

P337+P313 - If eye irritation persists: Get medical advice, medical attention.

P302+P352 - IF ON SKIN: Wash with plenty of water.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	(CAS-No.) 1675-54-3	25 - 40	Flammable liquids Not classified Skin corrosion/irritation, Category 2, H315 Serious eye damage/eye irritation, Category 2A, H319 Skin sensitisation, Category 1, H317 Hazardous to the aquatic environment — Acute Hazard, Category 2, H401 Hazardous to the aquatic environment — Chronic Hazard, Category 2, H411
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	(CAS-No.) 9003-36-5	10 - 25	Skin corrosion/irritation, Category 2, H315 Serious eye damage/eye irritation, Category 2A, H319 Skin sensitisation, Category 1, H317 Hazardous to the aquatic environment — Chronic Hazard, Category 2, H411
Reaction products of hexane-1,6-diol with 2-(chloromethyl)	(CAS-No.) 933999-84-9	10 - 25	Flammable liquids Not classified Acute toxicity (oral), Category 5, H303 Skin corrosion/irritation, Category 2, H315 Serious eye damage/eye irritation, Category 2A, H319 Skin sensitisation, Category 1, H317 Hazardous to the aquatic environment — Acute Hazard, Category 3, H402 Hazardous to the aquatic environment — Chronic Hazard, Category 3, H412
trimethylolpropane triglycidylether	(CAS-No.) 30499-70-8	5 - 10	Skin corrosion/irritation, Category 1C, H314 Serious eye damage/eye irritation, Category 1, H318 Skin sensitisation, category 1B, H317 Germ cell mutagenicity, Category 2, H341 Reproductive toxicity, Category 1B, H360 Hazardous to the aquatic environment — Chronic Hazard, Category 2, H411

Full text of H-statements: see section 16

25/06/2020 EN (English) 15/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

Gently wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get immediate medical advice/attention.

imation occurs. Get immediate medical advice/attention.

First-aid measures after eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical

attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation May cause an allergic skin reaction.

Symptoms/effects after skin contact Causes skin irritation.

Symptoms/effects after eye contact

Causes serious eye irritation.

Potential adverse human health effects and

No additional information available.

symptoms

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray. Carbon dioxide. Dry powder. Foam. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Self-contained breathing apparatus. Do not enter fire area without proper protective equipment,

including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Spilled material may present a slipping hazard.

6.1.1.For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Use personal protective equipment as required. Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

25/06/2020 EN (English) 16/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment. Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. After curing, the product can be disposed of with household waste.

6.3. Methods and material for containment and cleaning up

For containment Collect spillage.

Methods for cleaning up

This material and its container must be disposed of in a safe way, and as per local legislation.

Mechanically recover the product. On land, sweep or shovel into suitable containers. Store

away from other materials.

Other information Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other

exposed areas with mild soap and water before eating, drinking or smoking and when leaving

work.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditionsProtect from sunlight.Incompatible productsStrong bases. Strong acids.Incompatible materialsSources of ignition. Direct sunlight.

Storage temperature 5 - 25 °C

Heat and ignition sources Keep away from heat and direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional information The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant

for this product.

8.2. Appropriate engineering controls

Appropriate engineering controls Ensure good ventilation of the work station.

Environmental exposure controls Avoid release to the environment.

Consumer exposure controls Avoid contact during pregnancy/while nursing.

Other information Do not eat, drink or smoke during use.

25/06/2020 EN (English) 17/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection Wear protective gloves. The permeation time

is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective

function's effective duration.

Туре	Material	Permeation	Thickness (mm)	Penetrati on	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,4		EN 374

Eye protection Wear security glasses which protect from

splashes

Туре	Use	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

Skin and body protection

Wear suitable protective clothing



Relative density





8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid

Appearance Thixotropic paste.

Colour Light grey.

Odour characteristic.

Odour threshold No data available

pH 6.2

Relative evaporation rate (butylacetate=1) No data available Melting point No data available Freezing point No data available No data available Boiling point Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Non flammable. Flammability (solid, gas) Vapour pressure No data available No data available Relative vapour density at 20 °C

Density 1.46 g/ml DIN EN ISO 1183-3

Solubility insoluble in water.
Log Pow No data available
Viscosity, kinematic No data available

25/06/2020 EN (English) 18/23

No data available



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Viscosity, dynamic 36 - 53 Pa·s HN-0333

Explosive properties Product is not explosive.

Oxidising properties No data available

Explosive limits No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates: fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)

Acute toxicity (dermal)

Acute toxicity (inhalation)

Not classified

Not classified

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)		
LD50 dermal rat	> 2000 mg/kg (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)	
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (9003-36-5)		
LD50 oral rat	> 5000 mg/kg bodyweight (Rat; ECHA)	
LD50 dermal rat	> 2000 mg/kg bodyweight (Rat; ECHA)	
Reaction products of hexane-1,6-diol with 2-(chloromethyl) (933999-84-9)		
LD50 oral rat	3010 mg/kg	
LD50 dermal rat	> 2000 mg/kg	

Skin corrosion/irritation Causes severe skin burns and eye damage.

pH: 6.2

Serious eye damage/irritation Serious eye damage, category 1, implicit

pH: 6.2

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Suspected of causing genetic defects.

Carcinogenicity Not classified

25/06/2020 EN (English) 19/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Reproductive toxicity May damage fertility..

STOT-single exposure Not classified STOT-repeated exposure Not classified Aspiration hazard Not classified

Potential adverse human health effects and

symptoms

No additional information available.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects. Ecology - water

Hazardous to the aquatic environment, short-

term (acute)

Toxic to aquatic life. Calculation method

Classification procedure (Hazardous to the

aquatic environment, short-term (acute))

Hazardous to the aquatic environment, longterm (chronic)

Toxic to aquatic life with long lasting effects.

Classification procedure (Hazardous to the aquatic environment, long-term (chronic))

Calculation method

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)		
LC50 fish 1	2.3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system,	
	Fresh water, Experimental value, Nominal concentration)	
EC50 Daphnia 1	2 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system,	
	Fresh water, Experimental value)	
LC50 fish 2	2.3 mg/l (96 h; Oncorhynchus mykiss; Nominal concentration)	
Threshold limit algae 1	> 11 mg/l (72 h; Scenedesmus sp.)	
Threshold limit algae 2	4.2 mg/l (72 h; Scenedesmus sp.)	
Reaction products of hexane-1,6-diol with 2-(chloromethyl) (933999-84-9)		
LC50 fish 1	30 mg/l	
LC50 other aquatic organisms 1	23.1 mg/l	
EC50 Daphnia 1	47 mg/l	

reduction production or moximizer type discretifier a	
LC50 fish 1	30 mg/l
LC50 other aquatic organisms 1	23.1 mg/l
EC50 Daphnia 1	47 mg/l
NOEC (acute)	18 mg/l

12.2. Persistence and degradability

HIT-RE 100, A		
Persistence and degradability	May cause long-term adverse effects in the environment.	
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)		
Persistence and degradability	Not readily biodegradable in water.	

12.3. Bioaccumulative potential

HIT-RE 100, A		
Bioaccumulative potential Not established.		
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)		
BCF other aquatic organisms 1 31 (Estimated value, Fresh weight)		
Log Pow	3 (Estimated value, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	

12.4. Mobility in soil

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)		
Surface tension	59 mN/m (20 °C, 0.09 g/l)	
Log Pow	See section 12.1 on ecotoxicology	
Log Koc	See section 12.1 on ecotoxicology	
Ecology - soil	Low potential for adsorption in soil.	

12.5. Other adverse effects

25/06/2020 EN (English) 20/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Ozone Not classified

Other adverse effects

No additional information available
Other information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) Disposal must be done according to official regulations.

Product/Packaging disposal recommendations

After curing, the product can be disposed of with household waste. Full or only partially

emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with

local/national regulations.

Ecology - waste materials Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	RID	
14.1. UN number				
1759	1759	1759	1759	
14.2. UN proper shipping r	name			
CORROSIVE SOLID, N.O.S. (trimethylolpropane triglycidylether)	CORROSIVE SOLID, N.O.S. (trimethylolpropane triglycidylether)	Corrosive solid, n.o.s. (trimethylolpropane triglycidylether)	CORROSIVE SOLID, N.O.S. (trimethylolpropane triglycidylether)	
Transport document descript	ion			
UN 1759 CORROSIVE SOLID, N.O.S. (trimethylolpropane triglycidylether), 8, III, (E), ENVIRONMENTALLY HAZARDOUS	UN 1759 CORROSIVE SOLID, N.O.S. (trimethylolpropane triglycidylether), 8, III, MARINE POLLUTANT/ENVIRONMENTALL Y HAZARDOUS	UN 1759 Corrosive solid, n.o.s. (trimethylolpropane triglycidylether), 8, III, ENVIRONMENTALLY HAZARDOUS	UN 1759 CORROSIVE SOLID, N.O.S. (trimethylolpropane triglycidylether), 8, III, ENVIRONMENTALLY HAZARDOUS	
14.3. Transport hazard cla	ss(es)			
8	8	8	8	
			8	
14.4. Packing group	14.4. Packing group			
III	III	III	III	
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Classification code (ADR) C10

25/06/2020 EN (English) 21/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Special provisions (ADR) 274 Limited quantities (ADR) 5kg

Packing instructions (ADR) P002, IBC08, LP02, R001

Mixed packing provisions (ADR) MP10
Transport category (ADR) 3

Transport category (ADR) 3
Orange plates

80 1759

Tunnel restriction code (ADR)

- Transport by sea

Special provisions (IMDG)

Packing instructions (IMDG)

EmS-No. (Fire)

EmS-No. (Spillage)

Stowage category (IMDG)

223, 274

P002, LP02

F-A

S-B

A

- Air transport

PCA packing instructions (IATA) 860
PCA max net quantity (IATA) 25kg
CAO packing instructions (IATA) 864
Special provisions (IATA) A3, A803

- Rail transport

Special provisions (RID) 274

Packing instructions (RID) P002, IBC08, LP02, R001

Carriage prohibited (RID) No

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No additional information available

SECTION 16: Other information

SDS Major/Minor None
Issue date 11/05/2020
Revision date 11/05/2020

25/06/2020 EN (English) 22/23



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Abbreviations and acronyms

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE - Acute Toxicity Estimate

BCF - Bioconcentration factor

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

DMEL - Derived Minimal Effect level

DNEL - Derived-No Effect Level

EC50 - Median effective concentration

IARC - International Agency for Research on Cancer

IATA - International Air Transport Association

IMDG - International Maritime Dangerous Goods

LC50 - Median lethal concentration

LD50 - Median lethal dose

LOAEL - Lowest Observed Adverse Effect Level

NOAEC - No-Observed Adverse Effect Concentration

NOAEL - No-Observed Adverse Effect Level

NOEC - No-Observed Effect Concentration

OECD - Organisation for Economic Co-operation and Development

PBT - Persistent Bioaccumulative Toxic

PNEC - Predicted No-Effect Concentration

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

RID - Regulations concerning the International Carriage of Dangerous Goods by Rail

SDS - Safety Data Sheet

vPvB - Very Persistent and Very Bioaccumulative

Full text of H-statements:

H303	May be harmful if swallowed
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H360	May damage fertility or the unborn child.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS_UN_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

25/06/2020 EN (English) 23/23