



# Turmopololoil 20 HD

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Issue date: 11/11/2022

Revision date: 11/11/2022

Version: 1.0

### SECTION 1: Identification

#### 1.1. GHS Product identifier

Product form	Mixture
Product name	Turmopololoil 20 HD
Type of product	greases, mineral oils, silicones
Product code	BU ETA

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture	Lubricants, greases, release agents
Recommended use	For professional use only

#### 1.4. Supplier's details

##### Supplier

Hilti Bahrain W.L.L  
Warehouse No. 23 & 25, Gate 285, Road 4306 Area 343, Mina Salman  
P.O. Box 11401  
BH- Manama – Bahrain  
T +973 17811675  
[hiltibahrain@hilti.com](mailto:hiltibahrain@hilti.com) - <https://www.hilti-me.com/>

##### Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH  
Hiltistraße 6  
DE- 86916 Kaufering  
Deutschland  
T +49 8191 906876  
[anchor.hse@hilti.com](mailto:anchor.hse@hilti.com)

#### 1.5. Emergency phone number

Emergency number	Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international)
------------------	---

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification according to the United Nations GHS

Flammable liquids Not classified

On basis of test data

Full text of H-statements: see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### Labelling according to the United Nations GHS

No labelling applicable

#### 2.3. Other hazards which do not result in classification

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

# Turmopololoil 20 HD

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

### 3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	CAS-No.: 68411-46-1	< 2.5	Hazardous to the aquatic environment – Acute Hazard Not classified Hazardous to the aquatic environment – Chronic Hazard, Category 3, H412
4,4'-methylenebis(2,6-di-tert-butylphenol)	CAS-No.: 118-82-1	< 1	Skin corrosion/irritation, Category 2, H315 Serious eye damage/eye irritation, Category 2, H319 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation, H335

Full text of H-statements: see section 16

## SECTION 4: First-aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	Rinse immediately with plenty of water.
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting.

### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects	Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	May cause respiratory irritation.
Symptoms/effects after skin contact	Repeated or prolonged contact may cause slight irritation to the skin.
Symptoms/effects after eye contact	May cause slight irritation.
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

Suitable extinguishing media	ABC-powder. Sand. carbon dioxide (CO <sub>2</sub> ), dry chemical powder, foam.
Unsuitable extinguishing media	Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire	Formation of toxic gases is possible during heating or in case of fire.
--	---

### 5.3. Special protective actions for fire-fighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.

# Turmopololoi 20 HD

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures Spilled material may present a slipping hazard.

##### 6.1.1. For non-emergency personnel

No additional information available

##### 6.1.2. For emergency responders

Protective equipment Equip cleanup crew with proper protection.  
Emergency procedures Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

#### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.  
Collect spillage. Store away from other materials.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store at temperatures not exceeding 25 °C. Protect from sunlight. Store in a well-ventilated place.  
Incompatible products Strong acids. Strong bases.  
Incompatible materials Sources of ignition. Direct sunlight.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls Ensure good ventilation of the work station.  
Environmental exposure controls Avoid release to the environment.  
Other information Do not eat, drink or smoke during use.

#### 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection Prolonged and/or repeated handling: Protective gloves. Butyl-rubber protective gloves > 120 min (EN 374)  
Eye protection Not necessary under the recommended storage and handling conditions

#### 8.4. Exposure limit values for the other components

No additional information available

### SECTION 9: Physical and chemical properties

#### 9.1. Basic physical and chemical properties

Physical state Liquid  
Appearance Viscous  
Colour amber.  
Odour characteristic.  
Odour threshold Not available

# Turmopololoil 20 HD

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Melting point	-40 °C
Freezing point	Not available
Boiling point	> 250 °C
Flammability	Not available
Lower explosion limit	Not available
Upper explosion limit	Not available
Flash point	270 °C
Auto-ignition temperature	Not available
Decomposition temperature	250 °C
pH	Not available
pH solution	Not available
Viscosity, kinematic (calculated value) (40 °C)	0.114 mm <sup>2</sup> /s (40 °C)
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	< 15 hPa (50 °C)
Vapour pressure at 50°C	Not available
Density	1.05 g/cm <sup>3</sup>
Relative density	0 (15,6 °C)
Relative vapour density at 20°C	Not available
Solubility	insoluble in water. Soluble in organic solvents.
Particle size	Not applicable

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

The product is stable at normal handling and storage conditions. Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Stable under normal conditions of use. No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Oxidizing materials.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Toxic gases are released.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

4,4'-methylenebis(2,6-di-tert-butylphenol) (118-82-1)	
LD50 oral rat	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))

# Turmopololoil 20 HD

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified

<b>4,4'-methylenebis(2,6-di-tert-butylphenol) (118-82-1)</b>	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified

<b>Turmopololoil 20 HD</b>	
Viscosity, kinematic	0.114 mm <sup>2</sup> /s (40 °C)
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

<b>Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)</b>	
LC50 - Fish [1]	> 100 mg/l
LC50 - Other aquatic organisms [1]	> 100 mg/l
EC50 - Crustacea [1]	> 51 mg/l
<b>4,4'-methylenebis(2,6-di-tert-butylphenol) (118-82-1)</b>	
LC50 - Fish [1]	820 mg/l (EPA 600/3-75/009, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	> 0.1 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	> 26.5 ng/l (OECD 201: Alga, Growth Inhibition Test, 96 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

### 12.2. Persistence and degradability

<b>Turmopololoil 20 HD</b>	
Persistence and degradability	Not established.
<b>Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)</b>	
Not rapidly degradable	
<b>4,4'-methylenebis(2,6-di-tert-butylphenol) (118-82-1)</b>	
Not rapidly degradable	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.

### 12.3. Bioaccumulative potential

<b>Turmopololoil 20 HD</b>	
Bioaccumulative potential	No additional information available

# Turmopololoil 20 HD

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

<b>Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)</b>	
Bioconcentration factor (BCF REACH)	411
<b>4,4'-methylenebis(2,6-di-tert-butylphenol) (118-82-1)</b>	
BCF - Fish [1]	600 (OECD 305: Bioconcentration: Flow-Through Fish Test, 21 day(s), Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Kow)	> 6.5 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).

### 12.4. Mobility in soil

<b>Turmopololoil 20 HD</b>	
Mobility in soil	No additional information available
<b>4,4'-methylenebis(2,6-di-tert-butylphenol) (118-82-1)</b>	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	> 5.63 (log Koc, EU Method C.19, Experimental value, GLP)
Ecology - soil	Adsorbs into the soil.

### 12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available
Other information	Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /

ADR	IMDG	IATA	RID
<b>14.1. UN number or ID number</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.2. UN proper shipping name</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			



# Turmopololoil 20 HD

## Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

## SECTION 16: Other information

SDS Major/Minor	None
Issue date	11/11/2022
Revision date	11/11/2022

Full text of H-statements:	
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H412	Harmful to aquatic life with long lasting effects

SDS\_UN\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.